

## DUCT ACCESS DOORS


### DRUGA - HIGH PRESSURE - ROUND DUCT ACCESS DOOR - UNINSULATED



**DRUGA**


The Druga high pressure round access door is constructed of a stamped galvanized steel panel and features a neoprene gasket.

- Tested to 20" pos. wg & 10" neg. wg pressure.
- Plastic knobs with brass inserts.
- Cut out template for door provided.
- Uninsulated.



Catalog#	Model	Duct Size	List\$
W-11546	DRU846GA	5" - 6"	\$49.00
W-11547	DRU849GA	7" - 9"	\$49.00
W-11548	DRU8411GA	10" - 11"	\$49.00
W-11549	DRU12811GA	10" - 11"	\$70.00
W-11551	DRU12814GA	12" - 14"	\$70.00
W-11552	DRU12816GA	15" - 16"	\$70.00
W-11553	DRU161216GA	15" - 16"	\$96.00
W-11554	DRU161218GA	17" - 18"	\$96.00
W-11555	DRU161220GA	19" - 20"	\$96.00
W-11556	DRU161222GA	21" - 22"	\$96.00
W-11557	DRU161224GA	23" - 24"	\$96.00
W-11558	DRU161228GA	25" - 28"	\$96.00


### DUGA - HIGH PRESSURE - SANDWICH DOOR FOR RECTANGULAR DUCT - UNINSULATED



**DUGA**

The Duga high pressure sandwich door is constructed of a stamped galvanized steel panel and features a neoprene gasket.

- Tested to 20" pos wg & 10" neg. wg pressure.
- Plastic knobs with brass inserts.
- Cut out template for door provided.
- Uninsulated.



Catalog#	Model	Duct Size	List\$
W-11542	DU106GA	10"X6"	\$37.00
W-11543	DU128GA	12"X8"	\$53.00
W-11544	DU1814GA	18"X14"	\$111.00
W-51726	DU2418GA	24"X18"	\$190.00


### DC - CIRCULAR CLEAN-OUT DOORS



**DC**

The DC circular clean-out door is airtight and has no frame to install and seal.

- Circular opening effective for duct cleaning.
- Effortless opening and closing.



Catalog#	Model	Duct Size	List\$
W-11559	DC8GA	8" Diameter	\$37.00
W-11560	DC10GA	10" Diameter	\$41.00
W-12371	DC12GA	12" Diameter	\$49.00

## DUCT ACCESS DOORS


### DF2GA - HIGH TEMPERATURE GREASE DOORS FOR GREASE DUCT, 2300°F



**DF2GA**

The DF2GA is constructed of stamped sealed panels and features steel wing nuts. An excellent clean-out door.

- Cut out template provided.
- Ceramic fiber gasket (2300°F, meets NFPA 96 standards).
- 16 ga. Black iron backing plate for grease applications.



Catalog#	Model	Duct Size	List\$
W-11561	D106F2GA	10" X 6"	\$127.00
W-11562	D128F2GA	12" X 8"	\$182.00
W-11563	D1814F2GA	18" X 14"	\$260.00
W-12339	D2418F2GA	24" X 18"	\$487.00


### HAD - HINGED INSULATED DUCT ACCESS DOORS



**HAD**

The HAD Hinged Insulated Access Door is features galvanized steel construction and 1" high density fiberglass insulation.

- High density closed cell gasketing - door to frame & frame to duct.
- Zinc plated continuous steel hinge.
- Thumb-operated steel cam latch(es).
- Hole size is 1" smaller than nominal.



Catalog#	Size	List\$
W-11523	6" X 6"	\$24.00
W-11524	8" X 8"	\$27.00
W-11525	10" X 10"	\$32.00
W-11526	12" X 12"	\$36.00
W-11527	14" X 14"	\$42.00
W-11528	16" X 16"	\$48.00
W-11529	18" X 18"	\$54.00
W-11530	20" X 20"	\$60.00
W-11531	24" X 24"	\$75.00


### CAD - CAMMED DUCT ACCESS DOOR, INSULATED



**CAD**

The CAD Duct Access Door features galvanized steel construction and 1" high density fiberglass insulation.


- High density closed cell gasketing - door to frame & frame to duct.
- Thumb-operated steel cam latch(es).
- Hole size is 1" smaller than nominal.



Catalog#	Size	List\$
W-12396	6" X 6"	\$24.00
W-12397	8" X 8"	\$27.00
W-12398	10" X 10"	\$32.00
W-12399	12" X 12"	\$36.00
W-12400	14" X 14"	\$42.00
W-12401	16" X 16"	\$48.00
W-12402	18" X 18"	\$54.00
W-12403	20" X 20"	\$60.00
W-12404	24" X 24"	\$75.00


## DUCT ACCESS DOORS

### HAD-P - HINGED INSULATED DUCT ACCESS DOORS - PRESS-ON FLANGED FRAME



**HAD-P**

- Double sided adhesive neoprene gasket - for easy installation.
- Zinc plated continuous steel hinge.
- Thumb-operated steel cam latch(es).
- Punched hole start for easy screw flange installation.




The HAD-P Hinged Insulated Duct Access Door features galvanized steel construction and high density closed cell gasketing from the door to the frame only. Features 1" high density fiberglass insulation.

Catalog#	Size	List\$
W-11532	6"X6"	\$28.00
W-11533	8"X8"	\$30.00
W-11534	10"X10"	\$35.00
W-11535	12"X12"	\$38.00
W-11536	14"X14"	\$51.00
W-11537	16"X16"	\$58.00
W-11538	18"X18"	\$67.00
W-11539	20"X20"	\$76.00
W-11540	24"X24"	\$92.00

### RAD - ROUND DUCT NON-INSULATED DUCT ACCESS DOOR



**RAD**



- 1/4" thick neoprene gasket door to duct.
- Zinc plated continuous steel hinge.
- Two draw-tight sash locks.
- Loose striker plates for field installation.

The RAD Round Duct Non-Insulated Duct Access Door is a 20 gauge galvanized steel roll-formed door panel which features zinc plated hardware.

Catalog#	Size	List\$
W-11515	5" - 6"	\$42.00
W-11516	7" - 8"	\$42.00
W-11517	9" - 10"	\$50.00
W-11518	11" - 12"	\$50.00
W-11519	14" - 16"	\$50.00
W-11520	18" - 20"	\$79.00
W-11521	22" - 24"	\$79.00


### WAD - WALK-IN INSULATED ACCESS DOOR



**WAD**

- 1" fiberglass insulation.
- Full length zinc plated continuous vertical hinge.
- Two Ventlock 202 door latches with interior and exterior handles.
- Hole size is nominal.

The WAD Walk-In Insulated Access Door features a 16 gauge galvanized steel frame and 22 gauge galvanized steel double-wall door.



Catalog#	Size	List\$
W-11486	18" X 36"	\$232.00
W-11487	18" X 48"	\$248.00
W-11489	24" X 36"	\$205.00
W-11490	24" X 48"	\$221.00
W-11491	24" X 60"	\$252.00
W-12509	24" X 66"	\$263.00
W-11492	24" X 72"	\$289.00